



## DECLARATION OF PERFORMANCE

No. FLORIM 001

(EN) - Rev. 1

1. Unique identification code of the product type  
**Dry-pressed ceramic tiles, with water absorption  $E_b \leq 0,5 \%$**
2. Intended use(s)  
**For internal and external walls and floorings**
3. Name or registered trade mark, and contact address of the manufacturer  
**FLORIM CERAMICHE S.p.A. SB,  
Via Canaletto, 24 - 41042 Fiorano Modenese (MO) – Italia**
4. System(s) of assessment and verification of constancy of performance (AVCP)  
**System 4**
5. Name and identification number of notified laboratory, if relevant – **Not applicable**  
Task(s) carried out  
AVCP system  
Document issued and date of issue

6. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A1 <sub>FL</sub> /A1	Based on the decision 96/603/CE and its changes
Release of dangerous substance, for:		EN 14411:2012
- Cadmium	NPD	
- Lead	NPD	
Breaking strength	> 1300 N	
Slipperiness	See table attached	
Tactility	NPD	
Bond strength/adhesion, for:		
Cementitious adhesive, type C2	NPD	
Thermal shock resistance	Pass	
Durability for:		
- internal use:	Pass	
- external use: freeze-thaw resistance	Pass	

The performance of the product identified in point 1 is in conformity with the declared performances in point 6. This declaration of performance is issued in accordance with regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

This declaration is available on the website <https://www.florim.com/en/declarations-of-performance-ce/>.

Signed for and on behalf of the manufacturer by:

Bruni Donato – Amministratore Delegato

.....  
Name and function

Fiorano Modenese, 29/04/2021

.....  
Place and date of issue

  
.....  
Signature

Florim Ceramiche S.p.A. SB a socio unico

via Canaletto 24, Fiorano Modenese (MO) 41042 – Italia | T +39 0536 840111 | F +39 0536 844750 | florim.com

Capitale sociale euro 50.000.000 i.v. | Reg. Imprese C.C.I.A.A. di Modena | C.F. e P.IVA IT 01265320364 | Codice SDI MZO2A0U



Allegato alla Dichiarazione di Prestazione  
Attachment to Declaration of Performance  
Annexe à la déclaration de performance  
Anhang der Leistungserklärung  
Anexo a la Declaración de Performance  
Załącznik do deklaracji właściwości użytkowych  
A Teljesítmény Nyilatkozat kiegészítő táblázata  
Bijlage bij de prestatieverklaring  
Navezanost na izjave o lastnostih  
Aneks Izjave o svojstvima  
No. FLORIM 001

Tabella - Scivolosità (dove richiesto dalla legislazione)  
Table - Slipperiness (where required by regulation)  
Table - Glissement (si requis par la loi)  
Tabelle - Rutschsicherheit (wo erforderlich durch die Gesetzgebung)  
Tabla - Deslizamiento (donde sea requerido por ley)  
Tabela - Poslizgowosc (gdzie wymagane przez prawo)  
Táblázat - Csúszásmentesség (ahol jogszabály szerint szükséges)  
Tabel - Antislipwaarde (indien door de wetgever vereist)  
Tabela - Drsnosti (samo ko tako zahteva državna zakonodaja)  
Tablica - Otpornost na klizanje (gdje je ta zakonski zatraženo)  
Rev. 17 del/of/de/vom/de/a 23.12.2025

Marchio / Brand / Marque / Marke / Marca / Znak handlowy / Márka / Merk / Znamka / Trgovačka marka

### FLORIM - Architectural Design

Serie / Series / Kolekcja / Serija	BCRA DM 236/1989 (ITA)	DIN EN 16165 Annex B (DE)	UNE EN 16165 Annex C (ESP)
B&W Marble glossy	>0,4	N.P.D.	N.P.D.
B&W Marble matte	>0,4	R9	N.P.D.
BIOTECH 20 mm strutturato	>0,4	R11	N.P.D.
BIOTECH cannetè	N.P.D.	R10	N.P.D.
BIOTECH Magnum 9mm R+PTV	>0,4	R11	N.P.D.
BIOTECH matte	N.P.D.	R10	N.P.D.
BIOTECH soft	N.P.D.	R9	N.P.D.
BUILDTECH 2.0 levigato	N.P.D.	N.P.D.	N.P.D.
BUILDTECH 2.0 naturale	>0,4	R10	N.P.D.
BUILDTECH 2.0 R+PTV	>0,4	R10	N.P.D.
BUILDTECH 2.0 soft	N.P.D.	R9	N.P.D.
BUILDTECH 2.0 strutturato	>0,4	R11	N.P.D.
CORETECH 20 mm strutturato	>0,4	R11	N.P.D.
CORETECH 9 mm matte Brushed Light	N.P.D.	R10	N.P.D.
CORETECH 9 mm matte Flame Light Flame Dark	N.P.D.	R10	N.P.D.
CORETECH 9 mm R+PTV	>0,4	R11	N.P.D.
CORETECH 9 mm soft	N.P.D.	R9	N.P.D.
EARTHTECH comfort	>0,4	R10	N.P.D.
EARTHTECH glossy	N.P.D.	N.P.D.	N.P.D.
EARTHTECH strutturato	>0,4	R11	N.P.D.
EARTHTECH strutturato 20 mm	>0,4	R11	N.P.D.
FLOWTECH naturale	N.P.D.	R9	N.P.D.
FORMATECH 20mm grip	>0,4	R11	N.P.D.
FORMATECH 9mm grip PTV	>0,4	R11	N.P.D.
FORMATECH 9mm matte	>0,4	R10	N.P.D.
INDUSTRIAL 14 mm nat	>0,4	R10	N.P.D.
INDUSTRIAL bocciardato	>0,4	R11	Classe 3
INDUSTRIAL bocciardato 20 mm	>0,4	R11	N.P.D.
INDUSTRIAL naturale	>0,4	R10	Classe 1

Florim Ceramiche S.p.A. SB a socio unico

via Canaletto 24, Fiorano Modenese (MO) 41042 – Italia | T +39 0536 840111 | F +39 0536 844750 | florim.com

Capitale sociale euro 50.000.000 i.v. | Reg. Imprese C.C.I.A.A. di Modena | C.F. e P.IVA IT 01265320364 | Codice SDI MZO2A0U



INDUSTRIAL soft	N.P.D.	R9	N.P.D.
PISCINE MOD 2/25	>0,4	R11	N.P.D.
PLIMATECH 20 mm strutturato	>0,4	R11	N.P.D.
PLIMATECH matte	>0,4	R10	N.P.D.
PLIMATECH strutturato	>0,4	R11	N.P.D.
RAWTECH naturale	>0,4	R10	Classe 2
RAWTECH strutturato	>0,4	R11	N.P.D.
STONTECH 4.0 cannetè	N.P.D.	R9	N.P.D.
STONTECH 4.0 high glossy	>0,4	N.P.D.	N.P.D.
STONTECH 4.0 naturale	N.P.D.	R9	N.P.D.
STONTECH 4.0 R+PTV	>0,4	R10	N.P.D.
STONTECH 4.0 strutturato	>0,4	R11	N.P.D.
WALKS 1.0 naturale	>0,4	R11	Classe 3
WALKS 1.0 naturale 20 mm	>0,4	R11	N.P.D.
WALKS 1.0 soft	N.P.D.	R9	N.P.D.

**Florim Ceramiche S.p.A. SB** a socio unico

via Canaletto 24, Fiorano Modenese (MO) 41042 – Italia | T +39 0536 840111 | F +39 0536 844750 | florim.com

Capitale sociale euro 50.000.000 i.v. | Reg. Imprese C.C.I.A.A. di Modena | C.F. e P.IVA IT 01265320364 | Codice SDI MZO2A0U